

GE
Lighting Solutions

Tetra MAX


LED Lighting System for *Medium* channel letters




imagination at work

Why use **two rows** when you **only need one**?

Others



New Tetra[®] MAX



Use one row, not two! Tetra MAX stretches stroke spacing to an impressive 9 inches in a 4-inch depth channel and still maintains impressive light uniformity on the channel letter face. It protects your customers' brand image while reducing product costs and saving you installation time.

Tetra[®] MAX High Output



Tetra MAX


Tetra MAX High Output

For those applications where extreme brightness is desired, our Tetra MAX High Output delivers with White and Red options.


In addition, both Tetra MAX and Tetra MAX High Output have the same layout instructions, reducing installation and prep work for sign OEMs.

OptiLens™

While protecting each LED against moisture, humidity and corrosion, the real value of our unique optical lens technology, OptiLens, is that it maximizes the LED performance by capturing otherwise wasted light and redirects it towards the face of the channel letter.



Tetra® MAX Performance



Building GE Reliability into Every Sign

Reliability matters! That's why we rigorously test our designs, components, products and processes to ensure that every Tetra LED Lighting System performs brilliantly for years. With over 20 million linear feet of Tetra LED Lighting Systems installed around the globe, you can rely on GE's performance to last the long haul.

